

INNOVATIONS
THAT MAXIMISE
PERFORMANCE



QUALITY FEATURES
AND BETTER
RELIABILITY



QUIET AND EASY CLEANING

It's easy to assume that all walk-behind sweepers are the same. Or that if you've seen one, you've seen them all. But it's not so. The SW 750 sweeper from Nilfisk-Advance is so superior in so many ways, that it really does stand apart from the crowd. First of all, this battery powered, truly versatile sweeper can go anywhere and be used for cleaning everything from retail areas to gas station forecourts. With the carpet kit, it can even clean soft floors. What's more, it comes with an onboard charger as standard to save time.

Moreover, it cleans so silently that it can be used even in the most noise sensitive areas. At just 59dbA, the SW 750 is suitable for daytime cleaning without risk of causing disturbance. In fact, the entire design is so efficient, and so cleverly thought-out, that productivity is assured even with an inexperienced operator, while operating costs are minimized.

- Silent running. At just 59 dbA, the SW 750 can be used in even the most noise sensitive areas
- Onboard battery (46Ah) and battery charger are supplied as standard. Simply plug in the charger and you're ready to clean
- Standard battery provides up to 2 hours run time on hard floors, allowing sweeping of approximately 6,000 m². Optional 77 Ah battery increases running time to 3.5 hours
- Large wheels and traction drive, plus the balanced location of the battery above the rear axle, provide excellent manoeuvrability, even on carpeted floors
- No tools are needed for changing all usable parts. Speeds up servicing and optimises productivity

CAN BE USED IN BOTH WET AND DRY APPLICATIONS DUE TO POLYESTER FILTER



Thanks to the polyester filter the SW 750 can be used in both dry and humid areas.



The plug-in onboard battery charger ensures continuous and hassle-free operation.



The main and side brushes are adjustable to ensure perfect pressure on the floor at all times and in all conditions.

The handle is fully adjustable to suit each individual operator. It folds down completely to simplify storage.

RELIABILITY IS ALSO OUR MANTRA WHEN IT COMES TO SERVICE

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: four levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

24-HOUR SERVICE

Full Service+ Solution

A total coverage package offering four maintenance visits a year + service at a known fixed cost. Optimal for customers with a need for extensive daily cleaning. Labour, travel expenses, spares and parts are all included.

Full Service Solution

A package offering four maintenance visits a year + service. Ideal for customers who clean daily. Labour, travel expenses and spares are included.

Standard Service Solution

This package provides two preventative maintenance visits a year. Labour and travel expenses are included.

Subscription Solution

By entering the subscription contract, the customer agrees to a minimum of one maintenance visit per year.

Main electrical motor and side brush motor are protected with circuit breakers for safety



Safety switch de-activates the machine when the hopper is opened



Carpet kit includes antimarking flap and dedicated brush in one package



Adjustable handle for ergonomomy and easy storage



The cover includes holders for cans, bottles and other large objects



Large wheels and balanced weight make manoeuvring easy, even on carpet



The main brush and side brush are fully adjustable to ensure correct pressure at all times

TECHNICAL SPECIFICATIONS

| Description | Unit | SW 750 |
|---------------------------------------|-------------------|-----------|
| Motor power source | | Battery |
| Motor brand | | Amer |
| Sound pressure level | dB(A) | 59 |
| Productivity rate theoretical/ actual | m ² /h | 2880/1730 |
| Working width (mainroom only) | mm | 355 |
| Working width (w/sidebrushes) | mm | 720 |
| Max climbing rate | % | 20 |
| Min. turn-around aisle width | cm | - |
| Max. speed | km/h | 4 |
| Hopper volume | l | 60 |
| Main filter area | m ² | 1 |
| Length x width x height | cm | 99x80x62 |
| Weight | kg | 68 |

Specifications and details are subject to change without prior notice.

